









TRANSFORMER BOBBIN
INDUSTRIAL CO.,LTD.

Tel : 86-769-88789999 Fax : 86-769-88789999
http:// tbi-tw.com e-mail : tb6688@ms46.hinet.net

REVISIONS

REV	SYM	DRAFTER	CHECKER	DATE
△5		X.H.GU	G.F.YANG	11/24/16
△6		X.H.GU	G.F.YANG	02/18/17
△7		X.H.GU	G.F.YANG	03/17/17



DWG NO. ATQ17-10.3A-4P-TU-C4-11

PART NO.	MATERIAL (BOBBIN)	MATERIAL (TERMINAL)	TERMINAL (PLATING)	PIN ALLOCATION	NOTE
TBI-238-26341.1106	PM-9630	CP WIRE	Sn	ALL PIN	S
TBI-238-26341.1113	PM-9630	PB	Sn	ALL PIN	H

TOLERANCE: 0<L<=4:±0.1 4<L<=16:±0.2 16<L<=63:±0.3 UNIT : m / m SCALE 1 : 1






Finish: 1. PB wire Immersion Sn on terminal : Thickness:Sn plating,100%,5 μm (200 μ inches) min,Base nickel 0.625 μm (25 μ inches) min.
2. CP wire Immersion Sn on terminal : Thickness:Sn plating,100%,5 μm (200 μ inches) min.
3. Coplanarity deviation: 0.10 mm (0.004 inches) max.

REV 7

A-CORE
ELECTRICAL CO.

A-CORE JIANGMEN ELECTRONICS CO.,LTD
江門安磁電子有限公司
Tel : 86-750-3867791 Fax : 86-750-3867787

REVISIONS				
REV	SYM	DRAFTER	CHECKER	DATE
①		X.H.GU	G.F.YANG	06/16/16
②				
③				



Core Set Parameters

$A_e=40.3\text{mm}^2$
 $L_e=29.0\text{mm}$
 $C_1=0.720\text{mm}^{-1}$
 $V_e=1169\text{mm}^3$

DWG NO.	ATQ17/10.3A CORE				
PART NO.	MATERIAL (BOBBIN)	MATERIAL (TERMINAL)	TERMINAL (PLATING)	PIN ALLOCATION	NOTE
ATQ17/10.3A	JPP-44A				
ATQ17/10.3A	JPP-95				

Finish:	TOLERANCE:0<L<=4:±0.1 4<L<=16:±0.2 16<L<=63:±0.3	UNIT : m / m	SCALE 1 : 1
			REV 1

A-CORE

A-CORE JIANGMEN ELECTRONICS CO.,LTD
 江門安磁電子有限公司

TBI

TRANSFORMER BOBBIN
 INDUSTRIAL CO.,LTD.

ELECTRICAL CO. Tel : 86-750-3867791 Fax : 86-750-3867787

Tel : 86-769-88789999 Fax : 86-769-88789989


e-mail : sales@acore-ferrite.com

http:// tbi-tw.com e-mail : tb6688@ms46.hinet.net





REVISIONS

REV	SYM	DRAFTER	CHECKER	DATE
△		X.H.GU	G.F.YANG	11/24/16
△		X.H.GU	G.F.YANG	02/18/17
△		X.H.GU	G.F.YANG	03/17/17

TOP



TOP



BOTTOM

BOTTOM

ITEM	PART NO.	MATERIAL	DWG NO.	Core Set Parameters
CORE	ATQ17/10.3A	JPP-44A		Ae=40.3mm ² Le=29.0mm C1=0.720mm ⁻¹ Ve=1169mm ³
CORE	ATQ17/10.3A	JPP-95		
BOBBIN	TBI-238-26341.11XX		ATQ17-10.3A-4P-TU-C4-11	



UNIT : m/m

SCALE 1 : 1

REV

7