






A-CORE
ELECTRICAL CO.

A-CORE JIANGMEN ELECTRONICS CO.,LTD
江門安磁電子有限公司
Tel : 86-750-3867791 Fax : 86-750-3867787

REVISIONS				
REV	SYM	DRAFTER	CHECKER	DATE
△1		H.X.DUAN	G.F.YANG	12/13/12
△2				
△3				



Core Set Parameters

$A_e=40.2\text{mm}^2$
 $L_e=31.4\text{mm}$
 $C_1=0.718\text{mm}^{-1}$
 $V_e=1262.28\text{mm}^3$

DWG NO.	ATQ17/11.5A CORE				
PART NO.	MATERIAL (BOBBIN)	MATERIAL (TERMINAL)	TERMINAL (PLATING)	PIN ALLOCATION	NOTE
ATQ17/11.5A	JPP-44A				
ATQ17/11.5A	JPP-95				

Finish:		TOLERANCE:0<L<=4:±0.1 4<L<=16:±0.2 16<L<=63:±0.3	UNIT : m/m	SCALE 1 : 1	
				REV	1

A-CORE

A-CORE JIANGMEN ELECTRONICS CO.,LTD
 江門安磁電子有限公司

TBI

TRANSFORMER BOBBIN
 INDUSTRIAL CO.,LTD.

ELECTRICAL CO. Tel : 86-750-3867791 Fax : 86-750-3867787

Tel : 86-769-88789999 Fax : 86-769-88789989







e-mail : sales@acore-ferrite.com

http:// tbi-tw.com e-mail : tb6688@ms46.hinet.net

REVISIONS


REV	SYM	DRAFTER	CHECKER	DATE
△		X.H.GU	G.F.YANG	08/16/13
△		X.H.GU	G.F.YANG	10/04/13
△		X.H.GU	G.F.YANG	01/10/14

TOP



BOTTOM

BOTTOM

ITEM	PART NO.	MATERIAL	DWG NO.	Core Set Parameters	
CORE	ATQ17/11.5A	JPP-44A		Ae=40.2mm ² Le=31.4mm C1=0.718mm ⁻¹ Ve=1262.28mm ³	
CORE	ATQ17/11.5A	JPP-95			
BOBBIN	TBI-238-26111.12XX		ATQ17-11.5A-5P-TH-A1-12		
				UNIT : m/m	SCALE 1 : 1

REV 7