









TRANSFORMER BOBBIN INDUSTRIAL CO.,LTD.

Tel : 86-769-88789999 Fax : 86-769-88789989
 http:// tbi-tw.com e-mail : tb6688@ms46.hinet.net

REVISIONS				
REV	SYM	DRAFTER	CHECKER	DATE
△5		YAN.TANG	G.F.YANG	07/28/10
△6		YAN.TANG	G.F.YANG	10/13/10
△7		X.H.GU	G.F.YANG	12/04/10




NOTE:

1. 焊錫前拉力:1.0KG MIN, 焊錫後拉力:1.5KG MIN
2. 繞線區合模線0.05MAX.

DWG NO. EPC17-4P-TH-3.7-A-12

PART NO.	MATERIAL (BOBBIN)	MATERIAL (TERMINAL)	TERMINAL (PLATING)	PIN ALLOCATION	NOTE
TBI-206-01011.1206	PM-9820	CP WIRE	Sn	ALL PIN (PL)=2.85+/-0.2	S
TBI-206-01011.1216	PM-9820	CP WIRE	Sn	ALL PIN (PL)=4.0+/-0.2	暫無刀模 H
TBI-206-01011.1226	PM-9820	CP WIRE	Sn	ALL PIN (PL)=3.5+/-0.2	暫無刀模
TBI-206-01011.1236	PM-9820	CP WIRE	Sn	ALL PIN (PL)=3.3+/-0.2	暫無刀模
TBI-206-01011.1246	PM-9820	CP WIRE	Sn	ALL PIN (PL)=3.8+/-0.2	暫無刀模
TBI-206-01011.1256	PM-9820	CP WIRE	Sn	ALL PIN (PL)=5.0+/-0.2	暫無刀模



TOLERANCE: ±0.10

UNIT : m / m

SCALE 1 : 1

Finish: 1. PB wire Immersion Sn on terminal : Thickness:Sn plating,100,5 μm (200 μ inches) min,Base nickel 0.625 μm (25 μ inches) min.
 2. CP wire Immersion Sn on terminal : Thickness:Sn plating,100,5 μm (200 μ inches) min.
 3. Coplanarity deviation: 0.10 mm (0.004 inches) max.

REV 7

A-CORE

A-CORE JIANGMEN ELECTRONICS CO.,LTD
 江门安磁电子有限公司

TBI

TRANSFORMER BOBBIN
 INDUSTRIAL CO.,LTD.

ELECTRICAL CO. Tel : 86-750-3867791 Fax : 86-750-3867787

Tel : 86-769-88789999 Fax : 86-769-88789989


e-mail : sales@acore-ferrite.com

http:// tbi-tw.com e-mail : tb6688@ms46.hinet.net





REVISIONS

REV	SYM	DRAFTER	CHECKER	DATE
△		YAN.TANG	G.F.YANG	07/28/10
△		YAN.TANG	G.F.YANG	10/13/10
△		X.H.GU	G.F.YANG	01/04/11

TOP



TOP



BOTTOM

BOTTOM

ITEM	PART NO.	MATERIAL	DWG NO.	Core Set Parameters
CORE	EPC17/17	JPP-44A		$A_e=22.80\text{mm}^2$ $L_e=40.20\text{mm}$ $C_1=1.76\text{mm}^{-1}$ $V_e=916.56\text{mm}^3$
CORE	EPC17/17	JPP-95		
BOBBIN	TBI-206-01011.12XX		EPC17-4P-TH-3.7-A-12	



UNIT : m / m

SCALE 1 : 1

REV 7