






A-CORE
ELECTRICAL CO.

A-CORE JIANGMEN ELECTRONICS CO.,LTD
江門安磁電子有限公司
Tel : 86-750-3867791 Fax : 86-750-3867787

REVISIONS				
REV	SYM	DRAFTER	CHECKER	DATE
1		H.X.DUAN	G.F.YANG	02/07/12
2				
3				



Core Set Parameters

$A_e=70.5\text{mm}^2$
 $L_e=32.8\text{mm}$
 $C_1=0.465\text{mm}^{-1}$
 $V_e=2312.4\text{mm}^3$

DWG NO.	ATQ22/11.8 CORE			NOTE
PART NO.	MATERIAL (CORE)			
ATQ22/11.8	JPP-44A			
ATQ22/11.8	JPP-95			

Finish:	TOLERANCE: 0<L<=4:±0.1 4<L<=16:±0.2 16<L<=63:±0.3	UNIT : m / m	SCALE 1 : 1	
			REV	1

A-CORE

A-CORE JIANGMEN ELECTRONICS CO.,LTD
 江門安磁電子有限公司

TBI

TRANSFORMER BOBBIN
 INDUSTRIAL CO.,LTD.

ELECTRICAL CO. Tel : 86-750-3867791 Fax : 86-750-3867787

Tel : 86-769-88789999 Fax : 86-769-88789989


e-mail : sales@acore-ferrite.com

http:// tbi-tw.com e-mail : tb6688@ms46.hinet.net




REVISIONS

REV	SYM	DRAFTER	CHECKER	DATE
△1		X.H.GU	G.F.YANG	12/07/15
△2				
△3				


TOP




TOP



BOTTOM



BOTTOM

ITEM	PART NO.	MATERIAL	DWG NO.	Core Set Parameters
CORE	ATQ22/11.8	JPP-44A		Ae=70.5mm ² Le=32.8mm C1=0.465mm ⁻¹ Ve=2312.4mm ³
CORE	ATQ22/11.8	JPP-95		
BOBBIN	TBI-238-43211.11XX		ATQ22-11.8-5P-TL-2A-11	
CASE	TBI-238-43221.11XX		ATQ22-11.8-3P-CASE-B2-11	
 UNIT : m/m				SCALE 1 : 1
			REV	1