









**TRANSFORMER BOBBIN  
INDUSTRIAL CO.,LTD.**

Tel : 86-769-88789999 Fax : 86-769-88789989  
 http:// tbi-tw.com e-mail : tb6688@ms46.hinet.net


REVISIONS

REV	SYM	DRAFTER	CHECKER	DATE
①		YAN.TANG	G.F.YANG	11/07/09
②		YAN.TANG	G.F.YANG	08/25/10
③		X.H.GU	G.F.YANG	09/16/10



DWG NO. ATQ24-11.2-4P-THT-B1-11

PART NO.	MATERIAL (BOBBIN)	MATERIAL (TERMINAL)	TERMINAL (PLATING)	PIN ALLOCATION	NOTE
TBI-238-01211.1106	PM-9630	CP WIRE	Sn	ALL PIN	S
					H



TOLERANCE: .XX±0.1 .XXX±0.05

UNIT : m / m

SCALE 1 : 1

Finish: 1. PB wire Immersion Sn on terminal : Thickness:Sn plating,100,5 μm (200 μ inches) min,Base nickel 0.625 μm (25 μ inches) min.  
 2. CP wire Immersion Sn on terminal : Thickness:Sn plating,100,5 μm (200 μ inches) min.  
 3. Coplanarity deviation: 0.10 mm (0.004 inches) max.

REV 3



**A-CORE**

A-CORE JIANGMEN ELECTRONICS CO.,LTD  
江門安磁電子有限公司

**TBI**

TRANSFORMER BOBBIN  
INDUSTRIAL CO.,LTD.

ELECTRICAL CO. Tel : 86-750-3867791 Fax : 86-750-3867787

Tel : 86-769-88789999 Fax : 86-769-88789989



e-mail : sales@acore-ferrite.com

http:// tbi-tw.com e-mail : tb6688@ms46.hinet.net





REVISIONS

REV	SYM	DRAFTER	CHECKER	DATE
△1		YAN.TANG	G.F.YANG	11/07/09
△2		YAN.TANG	G.F.YANG	08/25/10
△3		X.H.GU	G.F.YANG	09/16/10

TOP




TOP



BOTTOM

ITEM	PART NO.	MATERIAL	DWG NO.	Core Set Parameters
CORE	ATQ24/11.2	JPP-44A		$A_e=99.9\text{mm}^2$ $L_e=32.9\text{mm}$ $C_1=0.330\text{mm}^{-1}$ $V_e=3286.71\text{mm}^3$
CORE	ATQ24/11.2	JPP-95		
BOBBIN	TBI-238-01211.1106		ATQ24-11.2-4P-THT-B1-11	



UNIT : m/m

SCALE 1:1

REV 3